

Optimyst® Revive

Simply Transform Your Space.



Easy Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.

Flame Options Available



Immersive Depth

A timeless fireplace design, brought to life through modern flame depth and fluid movement.



Adaptable Design

Versatile design suits modern or traditional settings, with a pull-out drawer for easy water refills, enabling installation anywhere.



Uninterrupted Ambience

Silent operation with fully adjustable flames, offering perfectly tailored ambience with or without heat.



Optimyst Flame Effect

Generates the most lifelike 3D flames through revolutionary water vapor technology.



Powerful Heating

Powerful fan-forced heater provides on-demand heat up to 1,000 sq. ft.



Pull-out Drawer

Features a game-changing pull-out drawer for effortless water refills, no plumbing necessary.



Revive Your Hearth

Transform your unused fireplace with this sleek insert that fits perfectly into your existing hearth, offering a realistic 3D flame effect and cozy warmth.



Realistic Logs

Realistic charred log set to maximize the illusion of depth and the appearance of burning firewood.



Scan for more information on dimensions, accessories, and technical details.



**Revive unit shown with the available trim kit*

Description	Order #	Model #	UPC
25" Vapor Fireplace	500003863	ABN15-RGB-AM	781052154094

**For full specifications and installation details, see comparison chart on page 47.*



ABN15-RGB-AM
Product Dimensions (W x H x D)
 25-1/4 x 24-7/8 x 12-7/8 in
 63.9 x 63.3 x 32.8 cm



*Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® Revive

Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
25" Vapor Fireplace	ABN15-RGB-AM	25-1/4" 63.9 cm	24-7/8" 63.3 cm	12-7/8" 32.8 cm	22-1/4" 56.5 cm	11-7/8" 30.2 cm



Fresh Air Inlets: A fresh air inlet is essential at the top.
It must have a minimum opening size of 29 in² (184 cm²).

✓ An additional fresh air inlet of 16 in² (100 cm²) that allows the air path to reach the underside of the unit is recommended for optimal flame.

✓ There is an air inlet under the drawer that must not be obstructed.

Installation Dimensions

Description	Model #	A	B	C
25" Vapor Fireplace	ABN15-RGB-AM	25-1/4" 63.9 cm	25" 63.5 cm	12" 30.5 cm

ABN15-RGB-AM

Carton Dimensions (W x H x D)

30-1/8 x 34-7/8 x 18-1/8 in
(76.5 x 88.5 x 46.0 cm)

Packaged Weight

68.2 lbs / 31.0 kg

Optimyst® Revive 36x32" Trim Kit:

Order Number
400001853

Model Number
REV36X32

UPC
781052157521

Optimyst® Revive 40x35" Trim Kit:

Order Number
400001854

Model Number
REV40X35

UPC
781052157538



LEFT



FRONT



RIGHT

